#### Joint Session of the UNECE Timber Committee (TC) and Society of Wood Science and Technology (SWST) International Convention



October 11–14, 2010 \* October 15, 2010 Industry Tour (optional) organized by SWST

#### "Innovative Wood Products are the Future"



Poster Session \* Student Poster Competition \* Reception/Cash Bar October 12, 15:00–18:00 \* Hallway, 1st Floor, E-Building, Palais des Nations

Chairs: Douglas Gardner, University of Maine, USA and Magnus Wålinder, SP Tratek, Technical Research Institute of Sweden, Sweden

onans. Bougius curuner, omversity or maine, ook and magnus wa	initially, of thatex, reclinical residual institute of Sweden, Gweden
Title of Presentation	Authors and Affiliations  Student Poster
Flexible LVL: Potential for Newly Material Design	Koji Adachi and Masafumi Inoue, University of Tokyo, Japan;
Plexible LVL. Potential for Newly Material Design	Hidefumi Yamauchi, Akita Prefectural University, Japan
Morphology and Thermal Stability of Nanocellulose and Cellulose Extracted from Mengkuang Leaves	Rasha M. El. Sheltami, University of Garyounis, Libya; <b>Ishak Ahmad</b> and Ibrahim Abdullah, University of Kebangsaan Malaysia, Malaysia
Performance of Novel Wood Protection Systems – Evaluation Based on Five Different Test Setups	<b>Gry Alfredsen</b> , Norwegian Forest and Landscape Institute, Norway; Per Otto Flæte, Norsk Treteknisk Institutt, Norway; Holger Militz, Georg-August-Universität Göettingen, Germany
Efficacy of <i>Azadirachta indica</i> (Neem) and <i>Distemonanthus</i> benthamianus (Bonsamdua) Water Extracts on the Durability of Five Selected Ghanaian Less Used Timber Species	<b>Akwasi Asamoah</b> , Kwasi Frimpong-Mensah, and Charles Antwi-Boasiako, Kwame Nkrumah University of Science and Technology, Malaysia
Compreg Laminates Made from Low Density Tropical Hardwoods	Zaidon Ashaari, Paridah Md. Tahir and Edi S. Bakar, Universiti Putra Malaysia, Malaysia
Modeling the Hygroscopic Thickness Swelling Rate of Drying Process of Wood Fiber Composites from the Beech Wood	<b>Agron Bajraktari,</b> Bujar Pira, Ibrahim Cunaku, Muhamet Ymeri, Sejdi Hoxha; University of Prishtina, Republic of Kosovo
Preservative-Treated Yellow Poplar for Above Ground Use	Michael O. Hunt, Daniel Cassens, Robert Leavitt, and Daniel Warner, Purdue University; Terry Amburgey and <b>H. Michael Barnes</b> , Mississippi State University; Ramsay Smith and Kris Owen, Arch Wood Protection, Inc; and Tom Kohlmeier, SEEMAC, Inc.
Steam-pressed Scrim Lumber (SPSL)	<b>H. Michael Barnes,</b> R. Dan Seale, and Jonathan M. Linton, Mississippi State University, USA
Effect of Modification Treatment on the Abies Pectinata, Fagus Orientalis and Populus Alba Woods	Ali Bayatkashkoli, Mohammad Dahmardeh, and Farshad Mansore; University of Zabol, Iran
Life-cycle Inventory of Manufacturing Prefinished Engineered Wood Flooring in the Eastern United States	<b>Richard D. Bergman</b> and Scott A. Bowe, University of Wisconsin-Madison, USA
Reusing Reclaimed Lumber and Flooring in Construction:	Richard D. Bergman, Hongmei Gu, and Robert H. Falk, USDA Forest

Products Laboratory, USA

Aradhana Bhatt and Ashok Kumar, Forest Research Institute, India

Measuring Environmental Impact using Life-Cycle Inventory

**Uses in Construction of Green Buildings** 

Genetic Improvement of Dalbergia Sissoo (Roxb.) for Sustainable



Title of Presentation	Authors and Affiliations Student Poster
Community Forestry as a Vehicle for Poverty Reduction, Good Governance, and Gender Equity	Dhruba Bijaya G.C., China Agricultural University, China
Nanoindentation of Cell Walls in Densified Hot-Oil Treated Trembling Aspen Veneers	Cecilia Bustos Avila and William Gacitúa Escobar, Universidad del Bío-Bío, Chile; Alain Cloutier and Chang-Hua Fang, Université Laval, Canada
Melamine Impregnating Resin/Layered Silicate Nanocomposite	<b>Juqing Cui,</b> Yufei Wu, Chong Jia, and Yang Zhang, Nanjing Forestry University, China
Recycling the Sliced Veneer Clippings into Value-Added Products – An International Research Effort	<b>Levente Denes</b> and Zsolt Kovacs, University of Western Hungary, Hungary; Elemer M. Lang and Julio F. Davalos, West Virginia University, USA
Increasing Sustainability of Solid Wood Structures by Replacing Flexible Shells through Elastic Interlayers	Franz Dolezal and Martin Teibinger, Holzforschung Austria, Austria
Densification of Wood Veneers	Changhua Fang, Alain Cloutier, Nicolas Mariotti, Université Laval, Canada; Ahmed Koubaa, Université du Québec en Abitibi-Témiscaminque (UQAT), Canada; and Pierre Blanchet, FPInnovations-Division Forintek, Canada
Processing Problems Associated with New Generation of Laminated Lumbers in Window Industry	Ali Fathollahzadeh, University of Applied Sciences Rosenheim, Germany
Effect of Moisture on Bolt-Bearing Behavior of Structural Composite Lumber	Wen Guo, <b>Benhua Fei</b> , Beijing Forestry Machinery Research Institute, China; Sheldon Q. Shi and Dan Seale, Mississippi State University, USA
Embodied Energy and Carbon Footprint of Norwegian Roundwood	Per Otto Flæte and Kristian Bysheim, Norsk Treteknisk Institutt, Norway; Gry Alfredsen and Birger Vennesland, Norwegian Forest and Landscape Institute, Norway; and Øyvind Eriksen, Paper and Fibre Research Institute, Norway
Formaldehyde Emissions from ULEF and NAF Bonded Commercial Hardwood-Plywood as Influenced by Temperature and Relative Humidity	<b>Charles R. Frihart,</b> USDA Forest Products Laboratory, USA; Michael J. Birkeland, James M. Wescott, and K. M. Gonner, Heartland Resource Technologies, USA
Soy Adhesives that can Form Durable Bonds for Plywood, Laminated Wood Flooring and Particleboard	Charles R. Frihart, USDA Forest Products Laboratory, USA; Michael J. Birkeland and James M. Wescott, Heartland Resource Technologies, USA; and Anthony J. Allen, Ashland-Hercules Water Technologies, USA
Nanomechanical Properties of <i>Eucalyptus nitens</i> Related to Crack Propogation	William Gacitúa E., Cecilia Bustos A, and Paulina Valenzuela C., Universidad del Bío-Bío, Chile; Jean Pierre Lasserre, Forestal Mininico S.A., Chile
Hardwood Log CT Scanning - Proof of Concept	Rado Gazo, Purdue University, USA; and Sun Joseph Chang, Louisiana State University, USA
Investigation on the Permeability Coefficient of Wood Coated by Paints and Nano-Particles	<b>Hadi Gholamiyan,</b> Mahdi Shahverdi, and Sadegh Maleki,University of Tehran, Iran; Hamidreza Pirayesh, University of Gorgan, Iran
The Measurement of Diffusion Coefficient of Poplar Wood (p. nigra)	<b>Hadi Gholamiyan,</b> Mahdi Shahverdi, and Mosayeb Dalvand, University of Tehran, Iran; Hamidreza Pirayesh, University of Gorgan, Iran
Sustainable Biofuels Production: A Supply Chain and Economic Analysis	R. Gonzalez, R. Phillips, D. Saloni, H. Jameel, and S. Kelley; North Carolina State University, USA
Structural Round Wood Research and Development	<b>Thomas Gorman</b> , University of Idaho, USA; David Krestchmann, Marshal Begel, and David Green, USDA Forest Products Laboratory, USA



Title of Presentation	Authors and Affiliations Stud	ent Poster
Evaluation of Biological Delignification in Eucalyptus by Trametes versicolor	Richta Gupta, Vipin Kumar Saini and Sanjay Naithani, Forest Research Institute, India; R. P. Bhatt, H.N.B. Garhwal University, In B. P. Thapliyal, Central Pulp and Paper Research Institute, India	ndia;
Laboratory Tests on Fungal Resistance and Hardness of Bagasse RMP Fiber/PP Composite	Seyyed Khalil Hosseini Hashemi, Mahdi Modirzare, Vahid-Reza Safdari; Islamic Azad University, Iran	a
Light-Timber Frames for Transitional Disaster Relief Housing	Eva Haviarova and Carl A. Eckelman, Purdue University, USA	
An Investigation on Some Mechanical Properties of Wood Plastic Composites Made from the Flour of Aspen and Waste HDPE	S. Hossinzadeh, Ramin Vaysi, and M. Shams, Islamic Azad Univ Chalous, Iran	ersity of
A Conceptualization in Computer Simulation of Processing Radiata Pine Finger-jointed Wood and Glued-Laminated Lumber	Seok Sean How, C. J. Williamson, and David Carradine, Universi Canterbury, New Zealand; Y. E. Tan, Forest Research Institute, Ma	
Predicting Modulus of Elasticity of Short Length New Zealand Radiata Pine Finger Joint Shooks Using Flexural Vibration Method	<b>Seok Sean How,</b> David Carradine, C. J. Williamson, and Jason Cambridge, University of Canterbury, New Zealand; Y. E. Tan, Forest Research Institute, Malaysia	
Development of Wooden-based Nails for Wooden Pallet	Masafumi Inoue, Koji Adachi, Ken Kamachi, Mami Yokoi, Univers Tokyo, Japan	sity of
Extraction of Micro- and Nano- Cellulose Crystals from Non-wood Lignocellulosic Material	M. Sarwar Jahan, BCSIR Laboratories; Abrar Saeed and Yongha University of New Brunswick, Canada	ao Ni,
Preparation and Characterization of Acrylamide-formaldahyde-urea Compatibilizer for Wood-plastic Composites	<b>Chong Jia,</b> Juqing Cui, Changtong Mei, Zhaobin Zhou and Yang Nanjing Forestry University, China	Zhang,
Structural Composite from FSC Certified Hybrid-Poplar	Frederick A. Kamke and Andreja Kutnar, Oregon State Universit	ty, USA
Comparison Between Physical Properties and Drying Behavior of White and Red Heartwood of Iranian Beech	Mahdi Shahverdi, Hadi Gholamiyan, and <b>Elham Karami,</b> Univers Tehran, Iran	sity of
Application of Nanotechnology in Improving the Performance of Solid Wood Products	Girma Kifetew, Växjö University, Sweden	
Development of a Carrier System for Cellulose Nanofibrils (CN) in Polymer Composites	<b>Alper Kiziltas,</b> Yousoo Han, Douglas J. Gardner and Jacques W. University of Maine, USA	Nader,
The Effect of Cellulose-Based Filler Type on Mechanical, Thermal and Rheological Properties of Thermoplastic Composites	<b>Alper Kiziltas,</b> Yousoo Han, Douglas J. Gardner and Jacques W. University of Maine, USA	Nader,
Organofunctinal Silanes as Formaldehyde Free Adhesives for Fiberboards	Lars Kloeser, Georg-August-Universität Göettingen, Germany	
Nondestructive Evaluation of Wood Strand Mechanical Properties Using Near-Infrared Spectroscopy	Neil Kohan and Brian Via, Auburn University, USA	
Micro- and Micro Mechanical Properties of Red Oak Wood after Selective Removal of Hemicelluloses	Johannes Konnerth, BOKU University, Austria; Martina Eiser, W K plus GmbH; Andreas Jäger, Vienna University of Technology, A Rupert Wimmer, Georg-August-Universität of Göettingen, Germa	ustria;
Best Practices in Quality Management for Innovation Performance	<b>Scott Leavengood,</b> Oregon State University, USA; Timothy R. Ar Portland State University, USA	nderson,
A Surface Antibacterial Wood Composite Decorated by Nano-sized Silver Melamine Impregnated Paper	Peng Li, Yubo Tao, Fenghu Wang, Northeast Forestry University,	China



Title of Presentation	Authors and Affiliations Student Poster
A Probabilistic Approach to the Simulation of Non-Linear Stress- Strain Relationships for Oriented Strandboard	Anthony McTigue and Annette Hart, NUI Galway, Ireland
Optimization Methods for the Behaviour of Wood Elements on Exteriors	E. Morales Méndez and J. Ruiz, University of Seville, Spain
Executive Perceptions of Certification Systems and Green Buildings: Implications for Future Supply of Certified Hardwoods	Judd Michael and Ruth Protpakorn, Pennsylvania State University, USA
Study on Withdrawal and Shear Strengths with Hornbeam Dowel in Beech T Form Joint	<b>Abdollah Najafi</b> , Majtaba Soltani, and Koroush Mohammadpour, Islamic Azad University (Chalous Branch), Iran
Investigation on the Properties of Cement Fiber Composite	Hamed Nasiri and Ali Varshoee, Islamic Azad University, Iran; Abolfazl Kargarfard, Research Institute of Forests & Rangeland, Iran
Ecological Aspects of Aspen Timber Applications	Inger M. Norell, KTH Royal Institute of Technology, Sweden
Health Benefits from Wood Interior in a Hospital Room	<b>Anders Q. Nyrud</b> and Kristian Bysheim, NTI, Norway; Tina Bringslimark, Norwegian University of Life Sciences, Norway
Interlaminar Fracture Mechanics Characterization of Surface Treatments for Wood Plastic Composites and Fiber Reinforced Polymer Composites Bonded Interfaces	Gloria S. Oporto, West Virginia University, USA
Cellulose Nanofibrils Reinforced Inorganic Wood Composites	<b>Yucheng Peng</b> , Yousoo Han, and Douglas J. Gardner; University of Maine, USA
Changes to California's Building Code for Construction in Wildfire Prone Areas: Impact on Wood and Wood-based Materials	Stephen L. Quarles, University of California Cooperative Extension, USA
Bonding quality of plywood made from Polypropylene as an adhesive	Davood Rasouli and Ali Akbar Enayati, Tehran University, Iran
Decay Resistance of Maple (Acer Insigne) Wood Against White Rot In Natural State and Treated	Vahid Tazakor Rezaei, Islamic Azad University of Chalus, Iran
Establishing Kiln Drying Schedule for Beech (Fagus Orientalis) at 7.5 cm Thickness from Kelardasht Region	Vahid Tazakor Rezaei, Islamic Azad University of Chalus, Iran
Nanocomposites Based on Natural Rubber and Cellulose Nanocrystals from Coconut Fibers	Morsyleide F. Rosa and Men de sá M. de Souza Filho, Embrapa Agroindústria Tropical, Brazil; Eliton S. Medeiros, Delilah F. Wood, William J. Orts, and Syed H. Imam, ARS-USDA, USA; José A. Malmonge, UNESP-São Paulo State University, Brazil; Luiz H. C. Mattoso, Embrapa Instrumentação Agropecuária, Brazil
Seismic Resistance of Wood Framework on Mudejar Structures	Jonathan Ruiz and Antonio Jaramillo, University of Seville, Spain
Effects of Hardener Type and Particles Size on Formaldehyde Emission of UF Bonded Particleboard	Mohsen Saffari, Komeyl Sajedi, Ramin Veysi, and Abdollah Hoseynzadeh; Islamic Azad University (IAU) Chalous Branch, Iran
Evaluation of Test Methods for Determination of Formaldehyde Emission from Composite Wood Products	Mohamed Z. M. Salem, Martin Böhm, and Štefan Barcík, Czech University of Life Sciences, Czech Republic; Jaromír Srba, Research Timber Institute, Czech Republic
Novel Laminated Composites from Heat-treated Wood for Green Construction	Milan Sernek and Mirko Kariz, University of Ljubljana, Slovenia

Fluting Paper from Poplar

	1	A)
A SHOW		

Title of Presentation	Authors and Affiliations Student Poster	
Multi-layered Lighweight Panels made by In-process Foaming: Comparison of Core Materials	Ali Shalbafan and Jan Luedtke, University of Hamburg, Germany; Johannes Welling, Johann Heinrich von Thuenen-Institute (vTI), Germany; and Heiko Thoemen, Bern University of Applied Sciences, Architecture, Wood and Civil Engineering, Switzerland	
An Investigation on Some Mechanical Properties of Wood Plastic Composites Made from the Flour of MDF and Reed and Waste Polypropylene	M. Shams, Ramin Vaysi, S. Hossinzadeh, Islamic Azad University of Chalous, Iran	
Impact of Hot-pressing Parameters and Climate Conditions on Formaldehyde and VOCs Emission from Particleboard	Jun Shen and Jingxian Wang, Northeast Forestry University, China	
A Chemical Process for Preparing Cellulose Nanowhiskers (CNW) from Kenaf Bast Fibers for Polymer Composites	Jinshu Shi, <b>Sheldon Shi</b> , H. M. Barnes, Charles Pittman; Mississippi State University, USA	
Traditional Furniture Joinery from the Point of View of Advanced Technologies	Milan Simek and Vaclav Servera, Mendel University Brno, Czech Republic	
Skeleton Chair – CNC Technology in New Context	Adam Koreny and <b>Milan Simek</b> , Mendel University Brno, Czech Republic	
Ramie and <i>Luffa Cylindrica</i> Nanowhiskers as Reinforced Phase in Polycaprolactone	<b>Gilberto Siqueira</b> , Aparacido Junior de Menezes, Julian Bras, and Alain Dufresne, Grenoble Institute of Technology, France	
Fast Curing of Adhesive in Acetylated Wood Base Composite	<b>Mojtaba Soltani,</b> Amir Homan Hemasi and Habib Khademi-Eslam, Islamic Azad University, Iran; Behbood Mohebby, Tarbiat Modares University, Iran	
Analysis of the Volatile Organic Compounds Emissions from Different Processing Particleboards	<b>Shijing Sun</b> , Jun Shen, Zhiming Liu, and Yu Liu, Northeast Forestry University, China	
The Effect of Lamina Configurations of Glue Laminated Timber on the Modulus of Elasticity and the Modulus of Rupture	<b>Bambang Suryoatmono</b> and Rendi Peterson, Parahyangan Catholic University, Indonesia	
Study on Load Carrying Capacity and Stiffness of Curved Glulam Beam	<b>Bambang Suryoatmono</b> and Adhi Bukhari, Parahyangan Catholic University, Indonesia	
The Investigation of Effective Factors on Supply and Demand of Particleboard in Iran	<b>Ajang Tajdini,</b> Amir Tavakkoli, Ahmad Jahan Latibari and Mehran Roohnia; Islamic Azad University, Iran	
The Effect of Nano Particles and Common Furniture Paints on Water Resistance Behavior of Poplar Wood (P.nigra)	Hadi Gholamiyan, <b>Asghar Tarmian</b> , and Mahdi Shahverdi, University of Tehran, Iran; Hamidreza Pirayesh, University of Gorgan, Iran	
Tracking and Simulation of Dry Shell Formation in a Wood Drying Process by X-ray Spectroscopy	Mahdi Shahverdi, Hadi Gholamiyan, and <b>Asghar Tarmian</b> , University of Tehran, Iran; Mohammad Ali Hossein, Islamic Azad University, Iran	
Effect of Wood Drying Conditions on Occurring of Collapse During Drying	Mahdi Shahverdi, Saeed Eshaghi, and Hadi Gholamiyan, University of Tehran, Iran; <b>Seyed Ali Haji Mirza Tayeb</b> , Azad University, Iran	
Multi-storey Timber Houses in Urban Regions in Austria	Martin Teibinger, Holzforschung Austria, Austria	
Bamboo in Green Construction in Ghana: the Studies of Selected Anatomical Properties	<b>Stephen Lartey Tekpetey,</b> K. Frimpong-Mensah, and Akwasi Acheampong, Kwame Nkrumah University of Science and Technology, Ghana	
Investigation on the Brightness Reversion of Horn Beam CMP Pulp Following Accelerated Irradiation Aging	Ramin Vaysi, Islamic Azad University, Iran; S. A. Mirshokraie, Payame-Noor University, Iran	
Investigation on the Production Possibility of NSSC Pulp and	Ramin Vaysi and R. Frozanfar, Islamic Azad University, Iran	



Title of Presentation	Authors and Affiliations
Potential of Using the NSSC Pulp for Production Fluting Paper from Kiwi Residues in Mazandaran Wood and Paper Industries	Ramin Vaysi, Islamic Azad University (Sama Organization) of Chalous Branch, Iran
Durability of High Wood-Content WPCs	Magnus E. P. Wålinder, B. Kristoffer Segerholm and Mats Westin; SP Trätek, Technical Research Institute of Sweden, Sweden
Application of Fractal Theory in Wood Science Research	<b>Fenghu Wang,</b> Mingying Zhen, Xiaodong Zhu, Northeast Forestry University, China
Optimization of Process Parameter of Wheatstalk/ Polystyeren Composite	<b>Min Xu,</b> Lijuan Wang, Jian Li, Weilun Sun, Northeast Forestry University, China
Discoloration Occurrence and Durability Improvement of Cedar Wood through High-temperature and Hot-water Treatments	Ki-young Son, Chang-Deuk Eom, In-Gyu Choi, and <b>Hwanmyeong Yeo</b> , Seoul National University, Korea
Evaluation of Energy Consumption During Drying of Pitch Pine Lumber and Center-Bored Timber	Jun-Ho Park, Yoon-Seong Chang, Joon-Weon Choi, In-Gyu Choi, Jun-Jae Lee, <b>Hwanmyeong Yeo;</b> Seoul National University, Korea
Evaluation of Thermal Environment in Wooden House Heated by Floor Heating System	Yoon-Seong Chang, Chang-Deuk Eom, Jun-Ho Park, Jun-Jae Lee, <b>Hwanmyeong Yeo</b> ; Seoul National University, Korea
Evaluation of Moisture Tansfer on the Surface of Wood Using NIR Spectroscopy During Drying	Chang-Deuk Eom, Jun-Ho Park, Yoon-Seong Chang and <b>Hwanmyeong Yeo</b> , Seoul National University, Korea
From Laboratory Corrosion Tests to a Corrosion Lifetime: Progress and Challenges	Samuel L. Zelinka and Samuel V. Glass, USDA Forest Products Laboratory, USA; Dominique Derome, EMPA, Switzerland
Value-added Exterior Particleboard Panels Manufacturing and Impact Assessment from Eastern Redcedar	Difei Zhang and Salim Hiziroglu, Oklahoma State University, USA
Considering Reversible Variations in Wood Properties: Possible Applications in the Choice of the Tree-Felling Date?	<b>Ernst Zürcher</b> and Christian Rogenmoser, Bern University of Applied Sciences BFH, Switzerland